

DAILY GENERATION AVAILABILITY REPORT

LUMA is not responsible for generation and is providing this report as part of service to our customers.
The report shows the availability generation as reported daily by PREPA and other generators.


12/16/2022

Projected System Availability and Reserves


2,423 PEAK DEMAND	650 REQUIRED RESERVES	175 RESERVES SHORTFALL	Previous Day 12/15/2022	
2,898 AVAILABLE SUPPLY	475 AVAILABLE RESERVES	50% AVAILABILITY RATE	Min. Demand 1,791 MW	Time: 3:57 AM
			Peak Demand 2,453 MW	Time: 6:50 PM
			Total Generation 50,670 MWh	

*All units are shown in MW

System Availability and Status



Availability and Status as reported by PREPA and other generators



	Renewables				Peakers				Baseload					
	Landfill	Wind	PREPA Hydro	Solar	PREPA Mayaguez	PREPA Cambalache	PREPA Other Peakers	PREPA Aguirre CC	AES	EcoElectrica	PREPA Palo Seco	PREPA Costa Sur	PREPA San Juan	PREPA Aguirre
Available Supply	5	75	23	147	128	156	201	0	380	550	410	610	90	350
Limitations	0	0	4	0	10	9	13	0	128	0	22	210	10	100
Planned Outages	0	0	4	0	0	0	0	100	0	0	0	0	160	450
Maintenance Outages	0	0	4	0	55	0	0	0	0	0	0	0	260	0
Forced Outages	0	0	4	0	28	0	68	296	0	0	0	0	120	0
Out-of-Service	0	27	61	0	0	83	189	196	0	0	170	0	200	0
Installed Capacity	5	102	100	147	220	248	471	592	508	550	602	820	840	900





MW

DAILY GENERATION AVAILABILITY REPORT

LUMA is not responsible for generation and is providing this report as part of service to our customers.

The report shows the availability generation as reported daily by PREPA and other generators.


AVAILABILITY AND STATUS BY UNIT AS REPORTED BY EACH FACILITY



DAILY GENERATION AVAILABILITY REPORT

LUMA is not responsible for generation and is providing this report as part of service to our customers. The report shows the availability generation as reported daily by PREPA and other generators.

PLANNED AND MAINTENANCE OUTAGES



REFERENCED TERMS:

Peak Demand is the anticipated highest demand at a certain point of the day.

The Required Reserves are determined daily depending on the largest unit in the system.

Available Reserves represent the difference between the total electricity available from PREPA and other generators and the current electricity demand from customers. Reserve levels can change throughout the day as the available electricity from PREPA and other generators increases or decreases, or depending on the amount of electricity customers are using. Green indicates the Required Reserves will be met; orange indicates the reserves will be between 75% and 99% of the Required Reserves; red indicates the reserves will be below 75% of the Required Reserves.

Reserves Shortfall are the difference between the Required Reserves and the Current Reserves.

Available Supply means the available electricity that will be generated by PREPA and other generators. The Available Supply shown in the System Availability Graphs do not include Solar, Wind, or Landfill.

Availability Rate is calculated as Available Capacity / Nameplate Capacity, where Nameplate Capacity is the maximum output of a generator as designed by the manufacturer.

Limitations represent the reduction of electricity that can be generated by PREPA and other generators. These Limitations are established by PREPA and the generators.

Outages represent the reduction of electricity that can be generated by PREPA and other generators due to the unavailability of a unit, or various units. These outages can be scheduled or unscheduled.

Out-of-Service represents units that have been unavailable for a period of 12 months or longer.