



Document Title:
PVC Men's Knee Boot

Document Type:
Engineering Standard

Document No.:
4350.256

Department:
Distribution Standards & Materials

Version:
1

Issue Date:
August 16, 2022

Effective Date:
August 17, 2022

Author

Rodolfo A Flores Ortiz PE
Standards Engineer, Distribution Stand & Materials

Signature and Date

August 17, 2022

Reviewer

Rafael Torres Martinez PE
Supervisor, Distribution Standards & Materials

Signature and Date

August 17, 2022

Approver

Ricardo Castro PE
Manager, Distribution Standards & Materials

Signature and Date

August 17, 2022

Version History

Version	Date	Revision Comments
1	Aug. 16, 2022	Initial Release. Converted from PREPA to LUMA format.



PVC Men's Knee Boot

1. Introduction

This is a general specification that covers the minimum requirements for PVC Men's Knee Boot to be used in the distribution system in Puerto Rico. Further information will be provided by LUMA Energy at the time of order placement and will provide information on site specific conditions, quantity, and other requirements. This document includes the general mechanical characteristics of the material.

2. Special Requirements

Samples shall be furnished as requested by LUMA Energy. Vendors that have supplied this material to PREPA / LUMA on previous orders, will not have to furnish samples at bid opening. The material will be received at the LUMA's general warehouse (011) at Palo Seco, Puerto Rico. Shipping will include transportation and unloading at the indicated warehouse.

3. Quantity/Literature

Descriptive and technical literature must be supplied by vendor at time of bidding. This literature may include, but is not limited to details of material, drawings, documented testing, and instructions for use and installation. Failure to submit documents on time will cause bidder disqualification. For products described in this specification as requiring qualification, awards will be made only for such products that, prior to the time for opening of bids, had been tested and/or approved by LUMA. Evidence of PREPA's and/or LUMA Energy's approval of the equipment or material shall be supplied by vendor if requested by LUMA Energy.

4. Markings

- 4.1. Containers shall be marked outside with LUMA Energy's purchase order and item number.
- 4.2. Labels and tags shall be waterproof.

5. Equal or Approved Equal to

Domino Highvoltage Supply and Grainger

PVC Men's Knee Boot

6. Packaging

All material and equipment shall be packaged and marked in such a way as to facilitate handling and protection from damage and that the receiving warehouse can readily identify it and send it, in one complete unit, to a field location without opening crates or boxes to sort items and/or parts.

7. Number Per Package (Logistics)

One unit (1) per package or as requested by LUMA Energy.

8. Acceptance Criteria

8.1. Test required: certified by external qualified laboratories.

- a. Latest applicable codes, standards, and other regulations: ASTM F2413-05 1/7 5 C/75 Standards for Impact and Compression protection. (Preferred)
- b. ASTM F2413-18 Standards for Impact and Compression protection (Could by Accepted)

9. Description

- 9.1. Shall be injection-mol ded from heavy-duty PVC.
- 9.2. Sole shall be polyurethane blended.
- 9.3. Shall be 100 % waterproof.
- 9.4. Interior of boot shall be fully lined.
- 9.5. Shall have a removable cushioned inner sole
- 9.6. Shall have a steel shank.
- 9.7. Non-slip soles shall be self-cleaning
- 9.8. Shall be furnished in left/right pairs

10. Inspection

The acceptance of any material or equipment shall in no way relieve the vendor from his responsibility to meet all the requirements of this specification, and it would not prevent subsequent rejection if such materials were found later to be defective.

11. Proposal Information

11.1. Submitted proposals must include:

- a. Technical information
- b. Table of Compliance completed by the bidder with reference. (See Appendix 1)

PVC Men's Knee Boot

Version History

Item Description	Warehouse Catalog #	Asset Suite #	Version
PVC Men's Knee Boot (Size 10)	072-00645		4
PVC Men's Knee Boot (Size 12)	072-04647		3

— End of Specification —

Equipment Specification
Document No.: 4350.256
Originating Department: Distribution Engineering

PVC Men's Knee Boot

Appendix

PVC Men's Knee Boot

Appendix 1: Table of Compliance

Line	Criteria	Description	Pass/Fail (P/F)	Comments
1	Specification	The Proponent complies with the corresponding specification document (4350.256)		
2	Industry Standards	The Proponent complies with the industry standards established in the specification document. (ASTM)		
4	Characteristics	<ul style="list-style-type: none">• Shall be injection-molded from heavy-duty PVC.• Sole shall be polyurethane blended.• Shall be 100 % waterproof.• Interior of boot shall be fully lined.• Shall have a removable cushioned inner sole• Shall have a steel shank.		